## Auto Floor Scrub 170

## Section 1 Identification

Trade Name: Auto Floor Scrub 170 Date Prepared: 05/23/2016

Product Identification: AMCO-AFS170

Synonyms: None CAS No: Mixture

Product Use Description: Industrial Cleaner

Details of the supplier of the safety data sheet

AMCO Energy Management Tech.

Phone: (440) 247-7533 NH

P. O. Box 754 CHAGRIN FALLS, OH 44022 US

**Emergency telephone number** 

ID#:

# Section 2 Hazards Identification

GHS Classification: Skin Corrosion/Irritation Category 2

Serious Eye Damage/Irritation Category 1

### GHS label elements:



Corrosive

Signal Word: Danger

**Hazard Statements:** 

H315 Causes skin irritation

H318 Causes serious eye damage

#### **Precautionary Statements:**

Prevention

P264 Wash skin thouroughly after handling.

P280 Wear protective gloves, protective clothing and eye protection or face protection.

Response

P302 + P352 IF ON SKIN: wash with plenty of soap and water.

**P305 + P351 + P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER or physician.

P332 + P313 IF SKIN irritation occurs: Get medical attention.

P362 + P364 Take off contaminated clothing and wash before reuse

#### Hazards Not Otherwise Classified (HNOC):

None.

## Additional Information:

Trade Name: Auto Floor Scrub 170 SDS #: AMCO-AFS170 Page 1 of 7
SDS ID: SDS01135 Revision # 1 Revision Date 05/23/2016

## Auto Floor Scrub 170

None.

## **Section 3 Composition**

Chemical Name	Common name and synonyms	CAS#	%
ethylene glycol monobutyl ether			5 - 10
sodium hydroxide		1310-73-2	1 - 5
sodium silicate			1 - 5

## Section 4 First Aid

#### General:

Move out of dangerous area. Perform first aid measures as indicated. Seek medical attention and show this safety data sheet to attending physician.

#### Inhalation:

Move to fresh air and keep at rest in a position comfortable for breathing. If breathing difficulty occurs or persists seek medical attention. If not breathing give artificial respiration and seek immediate medical attention.

#### Skin contact:

Immediately flush exposed skin with water for at least 15 minutes while removing contaminated clothing and/or shoes. Thoroughly wash with soap and water. Seek medical attention if irritation develops or persists.

#### Eve contact:

Immediately flush eyes with water for at least 15 minutes, lifting the upper and lower eyelids intermittently. Check for and remove any contact lenses if easy to do. Seek immediate medical attention.

#### Ingestion:

Rinse mouth with water. Do not induce vomiting. Seek immediate medical attention.

## Most important symptoms and effects both acute and delayed:

No information available.

#### Indication of any immediate medical attention and special treatment needed:

No information available.

# Section 5 Fire Fighting Measures

#### Suitable Extinguishing Media:

Use extinguishing media suitable for surrounding fire or source of fire. Use water spray to cool fire exposed containers.

#### **Unsuitable Extinguishing Media:**

No information available.

#### Specific hazards developing from the chemical:

In fire conditions after water loss, combustion may produce carbon monoxide, carbon dioxide and other unidentified combustion products.

#### Precautions for firefighters:

No information available.

#### Firefighting Instructions:

No information available.

## **Protection During Firefighting:**

Wear full protective gear and full face pressure demand self-contained breathing apparatus.

#### Other information:

No additional information available.

## Section 6 Accidental Release Measures

## Personal precautions, protective equipment and emergency procedures:

Avoid direct contact with skin, eyes and clothing. Avoid inhalation of mist, vapor or dust. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

#### **Environmental precautions:**

Trade Name:	Auto Floor Scrub 170	SDS #:	AMCO-AFS170		Page 2 of 7
SDS ID:	SDS01135	Revision #	1	Revision Date	05/23/2016

## Auto Floor Scrub 170

Prevent further leakage or spillage if safe to do so. Contain spilled material and prevent run-off onto ground or into water sources or sewers.

#### Methods and material for containment and cleaning up:

Neutralize with appropriate acidic material if possible. Absorb on inert material and place in containers for disposal. Dispose of spilled/collected material in accordance with all federal, state and local regulations.

# Section 7 Handling and Storage

#### Precautions for safe handling:

Avoid contact with skin and eyes. Avoid inhalation of mist, vapor and dust. Ensure adequate ventilation. Do not eat, drink or smoke while handling. Wear appropriate personal protective equipment as outlined in Section 8 of this SDS.

#### Conditions for safe storage, including any incompatibilities:

Store in original container. Keep container tightly closed. Store at room temperature (50-90°F) in a dry well-ventilated area.

## Section 8 Exposure Controls/Personal Protection

#### **Exposure limits:**

Ingredient	Data Source	Exposure Form	Exposure Value	<b>Exposure Notes</b>
ethylene glycol mor	nobutyl ether			
	ACGIH TLV	TWA	20 ppm	
	NIOSH REL	TWA	5 ppm	
	OSHA PO	TWA	25 ppm	
	OSHA Z-1	TWA	50 ppm	
sodium hydroxide				
	OSHA PEL	TWA	3 mg/m3	
sodium silicate				
	OSHA PEL	TWA	2 mg/m3	recommendation

#### **Appropriate Engineering Controls:**

Use local and/or general exhaust ventilation to maintain airborne concentrations below irritating levels or exposure limits. An eyewash and safety shower should be available in the work area.

## Individual protection measures:

#### Eye/face protection:

Safety glasses or chemical goggles should be worn when handling this material.

#### Skin protection:

#### Hand Protection:

Wear chemical resistant gloves when handling.

#### Other:

Wear chemical resistant apron when handling.

#### **Respiratory Protection:**

Wear respiratory protection if mist or vapor is produced, while using this material.

#### General hygiene considerations:

Follow good hygiene and safety practice. Wash hands and exposed skin before breaks and at the end of the work day. Do not eat, drink or smoke while handling this material. Do not wear contaminated or dirty clothing home from the work-site. Launder contaminated or dirty clothing before reuse.

#### Additional information:

No additional information available.

## Section 9 Physical and Chemical Properties

Appearance	Colorless to Light	Melting/freezing point	Not available.
	Yellow Liquid	Initial boiling point	Not available.
Odor	Glycol Ether	Flash point	Not available.
Odor threshold	Not available.	Evaporation rate	Not available.
рН	13	Flammability (solid, gas)	Not available.

 Trade Name:
 Auto Floor Scrub 170
 SDS #:
 AMCO-AFS170
 Page 3 of 7

 SDS ID:
 SDS01135
 Revision # 1
 Revision Date 05/23/2016

## Auto Floor Scrub 170

Lower flammability limit Not available. Upper flammability limit Not available. Lower explosive limit Not available. Not available. Upper explosive limit Not available. Vapor pressure Not available. Vapor density Relative density Not available. Solubility in water Complete Not available. PC: n-octanol/water **Auto-Ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available. Density Not available. Specific gravity 1.05

# Section 10 Stability and Reactivity

Reactivity: Not reactive under normal use conditions.

Chemical stability: Material is stable under normal handling and storage conditions.

Hazardous reactions: Hazardous polymerization will not occur under normal handling and storage.

Conditions to avoid: Avoid excessive heating, freezing and chemical contamination.

**Decomposition products:** No decomposition products are expected under normal storage and handling

conditions.

**Incompatible materials:** Avoid contact with oxidizers and strong acids.

## Section 11 Toxicological Information

## Information on the likely routes of exposure:

#### Inhalation:

No information available.

#### **Skin Contact:**

This material may cause skin irritation.

## Eye Contact:

This material may cause eye irritation which can result in serious or perminate damage.

#### Ingestion:

No information available.

## Symptoms related to the physical, chemical and toxicological characteristics:

No information available.

#### Delayed and chronic effects:

No information available.

#### Numerical measures of toxicity:

Components	Exposure	Species	Dose	Notes	
sodium hydrixide:					
-			No Data Available		
sodium silicate:					
Oral	LD50	Rat	3400 mg/kg		
Dermal	LD50	Rat	>5000 mg/kg		
Inhalation	LC50	Rat	>2.06 mg/l		
ethylene glycol mo	nobutyl ether:				
Oral	LD50	Rat	745 mg/kg		
Dermal	LD50	Rat	1250 mg/kg		
Inhalation	LC50	Rat	550 mg/l	4 hr	

#### **Toxicological effects:**

#### **Acute Toxicity:**

Mixture:

No information available.

 Trade Name:
 Auto Floor Scrub 170
 SDS #:
 AMCO-AFS170
 Page 4 of 7

 SDS ID:
 SDS01135
 Revision # 1
 Revision Date 05/23/2016

# Auto Floor Scrub 170

Skin Corrosion/Irritation:

Mixture:

No information available.

Serious Eye Damage/Irritation:

Mixture

No information available.

Respiratory sensitization:

Mixture:

No information available.

Skin sensitization:

Mixture:

No information available.

Germ cell mutagenicity:

Mixture:

No information available.

Cancinogenicity:

Mixture:

This product is considered to be a potencial carcinogen by:

NTP: No OSHA: No IARC: No

Reproductive toxicity:

This product is not expected to cause reproductive and developmental effects.

STOT-single exposure:

Mixture

No information available.

STOT-repeated exposure:

Mixture:

No information available.

Aspiration hazard:

Mixture:

This product is not an aspiration hazard.

Additional information:

None.

# Section 12 Ecological Information

#### **Ecotoxicity:**

No information available.

#### Numerical measures of ecotoxicity:

Components	Type	Species	Dose	Notes	
sodium hydroxide:					
Fish	LC50	Mosquito Fish	125 mg/l	96 hr	
Invertebrate	EC50	Daphnia magna	40.38 mg/l	48 hr	
sodium silicate:		-	_		
Fish	LC50	Brachydanio rerio	1108 mg/l	96 hr	
Invertebrate	EC50	Daphnia magna	1700 mg/l	48 hr	
ethylene glycol mo	nobutyl ether:				
Fish	LC50	Rainbow Trout	1474 mg/l	96 hr	
Invertebrate	EC50	Daphnia magna	1800 mg/l	48 hr	
Algae	EC50	Green Algae	911 mg/l	72 hr	

Persistence and degradability:

Mixture:

No information available.

Bioaccumulative potencial:

Mixture:

No information available.

Mobility in soil:

Mixture:

Trade Name:	Auto Floor Scrub 170	SDS #:	AMCO-AFS170		Page 5 of 7
SDS ID:	SDS01135	Revision #	1	Revision Date	05/23/2016

## Auto Floor Scrub 170

No information available.

Other adverse effects:

Mixture:

No information available.

Additional information:

No information available.

## Section 13 Disposal Considerations

**Disposal instructions:** 

Dispose of material in accordance with all federal, state and local regulations.

Contaminated packaging:

Triple rinse container and offer for recycling. Dispose of container following all federal, state and local regulations.

**Additional Information:** 

No additional information available.

# **Section 14 Transport Information**

DOT:

Not classified.

# Section 15 Regulatory Information

#### Federal regulations:

SARA 311/312 Hazard categories:

Immediate (Acute) Health Hazard

Immediate (Acute) Health Hazard Immediate (Acute) Health Hazard

Fire Hazard

Reactivity Hazard

SARA 302 Extremely hazardous substance:

Not listed.

SARA 304 Emergency release notification:

Not regulated.

SARA 311/312 Hazardous chemical:

No

SARA 313 Toxic Release Inventory (TRI) report:

Not regulated.

**CERCLA Hazardous substance list:** 

Not Listed.

Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA):

This chemical is not a pesticide product.

Clean Air Act regulated substances:

Volatile Organic Compounds (VOCs) in SOCMI:

ethylene glycol monobutyl ether

Clean Water Act regulated substances:

None.

U.S. state regulations:

None.

Canadian regulations:

Canadian Ingredient Disclosure List substances:

None listed

WHMIS classification:

ethylene glycol monobutyl

ether

Class B3

Auto Floor Scrub 170 SDS #: Trade Name: AMCO-AFS170 Page 6 of 7 SDS ID: SDS01135 Revision # Revision Date 05/23/2016

# Auto Floor Scrub 170

Class D-1A Class D-2A Class D-2B

# Section 16 Other Information


#### HMIS hazard ID:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe; \*-Chronic health effect

#### NFPA hazard ID:

Flammability:
Health:
Reactivity:
Special hazard:



Hazard rating: 0 - Minimal; 1 - Slight; 2 - Moderate; 3 - Serious; 4 - Severe

Disclamer: This Manufacturer believes that the information contained in the Safety Data Sheet is accurate. The suggested

procedures are based on experience as of the date of the publication. They are not necessarily all inclusive nor fully adequate in every circumstance. Also, the suggestions should not be confused with, nor followed in violation of applicable

laws, regulations, rules or insurance requirements.

Issue Date: 05/23/2016

Revision: 1

Trade Name: Auto Floor Scrub 170 SDS #: AMCO-AFS170 Page 7 of 7 SDS ID: SDS01135 Revision # 1 Revision Date 05/23/2016